

**NSAI**

Agrément


REG No.: IAB/W018/001
 Manufacturer: Christy Campbell Aluminium Sales Ltd
 Window System: Christy Campbell A-Rated
 Issue Date: 06/01/2011
 Valid Until: 06/01/2014

Window Energy Performance (WEP)

Window Energy Performance Rating for this window is:

A3

MOST EFFICIENT

**ENERGY INDEX (kWh/m²/year):****-0.27**

(Energy Index certified by NSAI Agreement and based on Irish standard window. The actual energy consumption for a specific application will depend on the building, the local climate and the indoor temperature)

CLIMATE ZONE**IRL****ENERGY PERFORMANCE CRITERIA**

| | | |
|-----------------------|---------------------|----------------------------------|
| Thermal Transmittance | U_{window} | = 1.44 W/m² .K |
| Effective Air Leakage | L_{factor} | = 0.00 W/m² .K |
| Solar Factor | g_{window} | = 0.45 |

ADDITIONAL INFORMATION

| | | |
|----------------------------|-------------|----------------------------------|
| Double Glazed Unit | U_g | = 1.22 W/m² .K |
| Frame Material | | uPVC |
| Solar Energy Transmittance | g_{\perp} | = 0.74 |

This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.