



NSAI
Agrément


REG No.: IAB/W013/001
 Manufacturer: Fox & O'Rourke Aluminium
 Window System: Fox & O'Rourke 'A'-Rated Window
 Issue Date: 29/09/2010
 Valid Until: 29/09/2013

Window Energy Performance (WEP)

Window Energy Performance Rating for this window is:

A

MOST EFFICIENT



ENERGY INDEX (kWh/m²/year):

0.42

(Energy Index certified by NSAI Agrément and based on Irish standard window. The actual energy consumption for a specific application will depend on the building, the local climate and the indoor temperature)

CLIMATE ZONE

IRL

ENERGY PERFORMANCE CRITERIA

| | | |
|-----------------------|---------------------|----------------------------------|
| Thermal Transmittance | U_{window} | = 1.43 W/m² .K |
| Effective Air Leakage | L_{factor} | = 0.00 W/m² .K |
| Solar Factor | g_{window} | = 0.45 |

ADDITIONAL PERFORMANCE CRITERIA

| | | |
|-------------------------|----|-------------|
| Condensation Resistance | CR | = NA |
|-------------------------|----|-------------|

This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.