



**NSAI**  
Agrément


REG No.: IAB/W005/002  
 Manufacturer: Amber Windows Ltd.  
 Window System: Earthkind A-Rated  
 Issue Date: 12/08/2010  
 Valid Until: 12/08/2013

# Window Energy Performance (WEP)

Window Energy Performance Rating for this window is:

**A**

MOST EFFICIENT



**ENERGY INDEX (kWh/m<sup>2</sup>/year):** **-0.43**

(Energy Index certified by NSAI Agrément and based on Irish standard window. The actual energy consumption for a specific application will depend on the building, the local climate and the indoor temperature)

**CLIMATE ZONE** **IRL**

## ENERGY PERFORMANCE CRITERIA

Thermal Transmittance	U <sub>window</sub>	= <b>1.57 W/m<sup>2</sup> .K</b>
Effective Air Leakage	L <sub>factor</sub>	= <b>0.00 W/m<sup>2</sup> .K</b>
Solar Factor	g <sub>window</sub>	= <b>0.49</b>

## ADDITIONAL PERFORMANCE CRITERIA

Condensation Resistance	CR	= <b>NA</b>
-------------------------	----	-------------

This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.