

**NSAI**

Agrément


REG No.: IAB/W018/001  
 Manufacturer: Christy Campbell Aluminium Sales Ltd  
 Window System: Christy Campbell A-Rated  
 Issue Date: 06/01/2011  
 Valid Until: 06/01/2014

# Window Energy Performance (WEP)

Window Energy Performance Rating for this window is:

**A**

MOST EFFICIENT

**ENERGY INDEX (kWh/m<sup>2</sup>/year): -0.27**

(Energy Index certified by NSAI Agrément and based on Irish standard window. The actual energy consumption for a specific application will depend on the building, the local climate and the indoor temperature)

**CLIMATE ZONE IRL****ENERGY PERFORMANCE CRITERIA**

Thermal Transmittance	U <sub>window</sub>	= <b>1.44 W/m<sup>2</sup> .K</b>
Effective Air Leakage	L <sub>factor</sub>	= <b>0.00 W/m<sup>2</sup> .K</b>
Solar Factor	g <sub>window</sub>	= <b>0.45</b>

**ADDITIONAL PERFORMANCE CRITERIA**

Condensation Resistance	CR	= <b>NA</b>
-------------------------	----	-------------

This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.