



**NSAI**  
Agrément


REG No.: IAB/W019/002  
 Manufacturer: Forde Brothers Ltd  
 Window System: Forde Windows A Rated  
 Issue Date: 11/07/2013  
 Valid Until: Check registered status at NSAI.ie

# Window Energy Performance (WEP)

Window Energy Performance Rating for this window is:

**A3**

MOST EFFICIENT



**ENERGY INDEX (kWh/m<sup>2</sup>/year): 0.42**

(Energy Index certified by NSAI Agreement and based on Irish standard window. The actual energy consumption for a specific application will depend on the building, the local climate and the indoor temperature)

**CLIMATE ZONE**

**IRL**

## ENERGY PERFORMANCE CRITERIA

Thermal Transmittance	U <sub>window</sub>	= 1.42 W/m <sup>2</sup> .K
Effective Air Leakage	L <sub>factor</sub>	= 0.01 W/m <sup>2</sup> .K
Solar Factor	g <sub>window</sub>	= 0.45

## ADDITIONAL INFORMATION

Double Glazed Unit	U <sub>g</sub>	= 1.22 W/m <sup>2</sup> .K
Frame Material		uPVC
Solar Energy Transmittance	g <sub>⊥</sub>	= 0.75

This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.