



**NSAI**  
Agrément


REG No.: IAB/W008/008  
 Manufacturer: S. Doyle & Sons Ltd.  
 Window System: Odyssey C70 36  
 Issue Date: 19/10/2014  
 Valid Until: Check registered status at NSAI.ie

# Window Energy Performance (WEP)

Window Energy Performance Rating for this window is:

**A1**

MOST EFFICIENT



**ENERGY INDEX (kWh/m<sup>2</sup>/year): 19.76**

(Energy Index certified by NSAI Agreement and based on Irish standard window. The actual energy consumption for a specific application will depend on the building, the local climate and the indoor temperature)

**CLIMATE ZONE**

**IRL**

## ENERGY PERFORMANCE CRITERIA

|                       |                     |                                  |
|-----------------------|---------------------|----------------------------------|
| Thermal Transmittance | $U_{\text{window}}$ | = <b>1.01 W/m<sup>2</sup> .K</b> |
| Effective Air Leakage | $L_{\text{factor}}$ | = <b>0.01 W/m<sup>2</sup> .K</b> |
| Solar Factor          | $g_{\text{window}}$ | = <b>0.41</b>                    |

## ADDITIONAL INFORMATION

|                            |             |                                  |
|----------------------------|-------------|----------------------------------|
| Triple Glazed Unit         | $U_g$       | = <b>0.76 W/m<sup>2</sup> .K</b> |
| Frame Material             |             | <b>uPVC</b>                      |
| Solar Energy Transmittance | $g_{\perp}$ | = <b>0.64</b>                    |

This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.