



**NSAI**  
Agrément


REG No.: IAB/W008/009  
 Manufacturer: S. Doyle & Sons Ltd.  
 Window System: Odyssey C70 44  
 Issue Date: 19/10/2014  
 Valid Until: Check registered status at NSAI.ie

# Window Energy Performance (WEP)

Window Energy Performance Rating for this window is:

**A1**

MOST EFFICIENT



ENERGY INDEX (kWh/m<sup>2</sup>/year):

**31.40**

(Energy Index certified by NSAI Agrément and based on Irish standard window. The actual energy consumption for a specific application will depend on the building, the local climate and the indoor temperature)

CLIMATE ZONE

**IRL**

## ENERGY PERFORMANCE CRITERIA

Thermal Transmittance	$U_{\text{window}}$	= <b>0.84 W/m<sup>2</sup> .K</b>
Effective Air Leakage	$L_{\text{factor}}$	= <b>0.01 W/m<sup>2</sup> .K</b>
Solar Factor	$g_{\text{window}}$	= <b>0.41</b>

## ADDITIONAL INFORMATION

Triple Glazed Unit	$U_g$	= <b>0.62 W/m<sup>2</sup> .K</b>
Frame Material		<b>uPVC</b>
Solar Energy Transmittance	$g_{\perp}$	= <b>0.64</b>

This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.