Project reference

I.S. 401:201x

Project title

Safety requirements for rewireable and non-rewireable 13A fused plugs for normal and rough use having insulating sleeves on live and neutral pins

Current_Phase

Project Approved International Project Ref.

Committee

NSAI/ETC/TC 2 Electrical Installations

Officer

Fran Mackey Project Status Hold

Scope

This Irish Standard specifies requirements for 13 A fused plugs having insulating sleeves on line and neutral pins, for household, commercial and light industrial purposes, with particular refe3rence to safety in normal use. The plugs are suitable for the connection of portable appliances, sound-vision equipment, luminaries, etc. in a.c. circuits only, operating at voltages not exceeding 250 V r.m.s. at 50 Hz.

Requirements are specified for plugs incorporating a fuse link complying with BS 1362:1973. The plugs may be rewirable or non-rewirable complete with flexible cord. Two categories of plugs are specified covering normal and rough use. Rewirable plugs are intended for use with flexible cords complying with I.S. 201 or I.S. 202 having conductor cross-sectional areas from 0.5 mm2 to 1.5 mm2 inclusive.

Project reference

I.S. 411:201x

Project title

13A switched and unswitched socket outlets

Current_Phase

Project Approved International Project Ref.

Committee

NSAI/ETC/TC 2 Electrical Installations

Officer

Fran Mackey

Project Status Hold

Scope

This Irish Standard specifies requirements for 13 A switched and unswitched shuttered socket-outlets for household, commercial and light industrial purposes, with particular reference to safety in normal use. The socket-outlets are suitable for the connection of portable appliances, sound-vision equipment, luminaires, etc. in a.c. circuits only, operating at voltages not exceeding 250 V r.m.s. at 50 Hz using plugs in accordance with I.S. 401.

Requirements are specified for 13 A shuttered socket-outlets in single or multiple arrangements, with or without associated controlling switches, for flush mounting in suitable boxes, e.g. complying with BS 4662, or for surface or panel mounting or for portable use. Fixed socket-outlets are intended for use with cables complying with I.S. 201 or I.S. 202 having copper conductors. Portable socket-outlets are intended for use with flexible cords, complying with I.S. 201 or I.S. 202. Socket-outlets containing devices other than fuse links, switches and indicator lamps are outside the scope of this standard.

Project reference I.S. 421:201x Project title Safety requirements for adaptors for use with 13A socket outlets Current_Phase **Project Approved** International Project Ref. NSAI/ETC/TC 2 Electrical Installations Committee Fran Mackey Project Status Hold Officer This Irish Standard specifies requirements for adaptors having insulating sleeves on the Scope line and neutral plug pins and suitable for use with socket-outlets complying with I.S. 411, with particular reference to safety in normal use. Adaptors specified in this standard are intended for household, commercial and light industrial purposes. The adaptors are suitable for the connection of portable appliances, sound-vision equipment, luminaires, etc., in a.c. circuits only, operating at voltages not exceeding 250 V r.m.s. at 50 Hz. ☐ This standard also applies to shaver adaptors which have the brass earth pin replaced with a similarly dimensioned protrusion made of insulating material designated as an insulated shutter opening device (ISOD) designed to operate the shutter mechanism of a socket-outlet conforming to I.S. 411 **Project reference** I.S. 10101:201x Project title National Rules for Electrical Installations (Revision of ET 101:2008) **Current Phase** Project Approved International Project Ref. HD 60364 all parts NSAI/ETC/TC 2 Electrical Installations Committee Stewart Hickey Project Status Not Published Officer Scope These Rules specify the requirements for the design, erection and proper functioning of electrical installations. The Rules are intended to provide for the safety of persons, livestock and property against dangers and damage that may arise in the reasonable use of electrical installations.

Project reference S.R. 61936-1:201x

Project title Guidelines on the application of I.S. EN 61936-1:2010&A1:2014, Power

installations exceeding 1 kV a.c. - Part 1: Common rules

Current_Phase Project Proposed International Project Ref. EN 61936-1:2010

Committee NSAI/ETC/TC 3 Power installations exceeding 1Kv (1.5Kv dc)

Officer Noleen Campbell Project Status Proposed

Scope Design and the erection of electrical power installations in systems with nominal voltages

above 1 kV a.c. and nominal frequency up to and including 60 Hz, so as to provide safety

and proper functioning for the use intended.

Project reference I.S. 820:201x

Project title Non-domestic gas installations (Edition 3)

Current_Phase Post Public Enquiry International Project Ref. EN 1775

Committee TC 001 SC03 TC 2 Installation and Appliances

Officer Alice Hanly Project Status Not Published

ScopeThis Irish Standard specifies the requirements for natural gas and LPG installations in commercial and public access buildings at maximum operating pressures not exceeding 5 bar and industrial gas installations at maximum operating pressures not exceeding 0,5

bar, from the point of delivery up to and including the appliance(s) in non-domestic

premises.

Project reference I.S. 328-1:201x

Project title Gas transmission - Part 1, Pipelines

Current_Phase Project Approved International Project Ref. EN 1594

Committee TC 001 SC04 TC 5 Transmission

Officer Alice Hanly Project Status Not Published

Scope Separation of current part two of I.S. 328 into a separate standard. (I.S. 328-2)

Project reference

I.S. 328-2:201x

Project title

Gas transmission - Part 2, Installations

Current_Phase

Project Approved International Project Ref. EN 12186

Committee

TC 001 SC04 TC 5 Transmission

Officer

Alice Hanly

Project Status Not Published

Scope

Separation of current part two of I.S. 328 into a separate standard.

This Standard applies to the design, construction, inspection, testing, operation and maintenance of installations on pipelines used for the transmission of first and second family gases, i.e., manufactured towns gas, natural gas and substitute natural gas at maximum operating pressure over 16 bar and temperatures between -25 oC and +120 oC

Pipeline installations include but are not restricted to pressure-reduction stations, meter stations, pig-trap stations and block valves. Compressor stations and compressed gas filling stations are excluded.

If the inlet pipework of the station is a service line and the maximum upstream operating pressure does not exceed 16 bar and the design flow rate is equal to or less than 200 m3/h under normal conditions, EN 12279 applies.

This Standard relates to conditions and practices currently in use in the transmission of gas. In addition materials and techniques of construction and operation are constantly being improved. It is intended to keep these factors under continuous review. As a result

Project reference

I.S. 3213:201x revision

Project title

Code of practice for the storage of LPG cylinders and cartridges

Current Phase

Project Approved

International Project Ref.

Committee

TC 001 SC07 TC 8 Fixed bulk storage of LP Gas and LP Gas refuelling stations

Officer

Alice Hanly

Project Status Not Published

Scope

This code applies to the keeping of LPG in containers where the total quantity stored exceeds 15kg, but the general principles may be used when keeping smaller quantities. It also applies to containers on loaded vehicles parked other than on a public highway. The requirements of the Building regulations shall take precedence over any requirements of this Code.

The contents of this document represent the general requirements for the safe storage of LPG cylinders and cartridges. However in specific circumstances the fire authorities may find it necessary ti impose additional safeguards.

It excludes:

- 1) LPG containers being transported by road;
- 2) cylinders fitted to a vehicle to provide fuel for any purpose on the vehicle
- 3) the storage f aerosol products in which LPG us sued as a propellant
- 4) the use of LPG from cylinders in domestic and other similar situations
- 5) LPG during the course of production

Project reference | 1.

I.S. 436:201x

Project title

Farm fencing - Timber post and rail

Current_Phase

Project Proposed International Project Ref.

Committee

TC 008 Timber Standards Consultative Committee

Officer

Patrick Hayes Project Status Proposed

Scope

Irish Standard 436 specifies materials, test methods, quality control, marking, packaging, transport and on-site storage requirements for timber post and wire farm fencing. The standard gives fencing arrangements for livestock enclosures for cattle, deer and sheep.

Material requirements are specified for permanent electric fencing, however, installation and safety issues are not addressed.

Project reference

I.S. 437:201x

Project title

Horse and stud fencing - Timber post and rail

Current Phase

Project Proposed International Project Ref.

Committee

TC 008 Timber Standards Consultative Committee

Officer

Patrick Hayes

Project Status Proposed

Scope

I.S. 437 specifies materials, test methods, marking, packaging, transport and on-site storage requirements for timber post and rail used for horse and stud fencing. The standard also includes requirements for electric rope, electric tape and specialised horse fencing wire used in horse and stud fencing.

Fencing arrangements are defined for:

- Boundary fencing;
- Paddock fencing;
- Lunging & turnout areas.

The standard specifies fencing arrangements using timber post and rail, electric rope and tape, and specialised horse fencing wire.

Project reference

I.S. 440:201x

Project title

Timber frame construction, dwellings and other buildings

Current_Phase

Project Approved International Project Ref.

Committee

TC 008 Timber Standards Consultative Committee

Officer

Patrick Hayes Project Status Not Published

Scope

This Irish Standard specifies requirements for materials, design, manufacture, construction details, site work and quality control for platform timber frame construction. The scope of this Standard is limited to:

- Buildings where the maximum number of storeys is four and the maximum height from the external ground level to the top floor level is 10 m;
- Buildings where the maximum fire resistance is 60 minutes;
- Buildings where timber materials are subject to either service classes 1 or 2;
- Stud centres up to a maximum of 610 mm;
- Panels manufactured using mechanical fasteners;
- Buildings that have an outer leaf of masonry or timber cladding with a drained and ventilated cavity behind the outer leaf. Other external claddings, where a drained and ventilated cavity is provided, are allowed by this Standard provided they have an approval certificate.

The on-site fabrication of timber frame wall panels is outside the scope of this Irish Standard.

Project reference

S.R. 50-3:201x

Project title

Code of practice for building services - Part 3 - Hot and cold water supply

for dwellings

Current Phase

Project Approved International Project Ref.

Committee

TC 010 Water Supply Standards Committee

Officer

Fergal Finn

Project Status Not Published

Scope

This document provides guidance for the design, installation, commissioning & maintenance of plumbing systems for hot and cold water supply for dwellings.

Project reference NA;201x to I.S. EN 16941-1:2018

Project title Guidance on the use of I.S. EN 16941-1 On-site non-potable water

systems - Part 1: Systems for the use of rainwater

Current_Phase Project Proposed International Project Ref. EN 16941-1:2018

Committee TC 011 Wastewater Engineering Standards Committee

Officer Ken Murphy Project Status Not Published

Scope Give guidance on the use of Annex A in EN 16941-1 in Ireland. It provides non-

contradictory complimentary information on the use of I.S. EN 16941-1 in Ireland taking into consideration the meteorological conditions of Ireland. The purpose is to aid users calculate the appropriate storage capacity required when installing a rainwater harvesting

system to use rainwater for non-potable applications.

Project reference I.S. 342:201x

Project title Guidance to hygiene regulations for food processors

Current_Phase Post Public Enquiry International Project Ref.

Committee TC 013 WG 1 Food Industry Standards Committee

Officer Anne Marie Crowley Project Status Not Published

Scope This Irish Standard is a guide to good hygiene practice, which meets the requirements of

of EU Regulation 852/2004 and 853/2004
It will apply to all food processing companies

Project reference NA+A2 to I.S. EN 1991-1-3:2003

Project title Amendment to NA to I.S. EN 1991-1-3: Eurocode 1: Actions on structures-

Part 1-3: General actions-snow loads

Current_Phase Project Proposed International Project Ref. EN 1991-1-3:2003

Committee TC 015 Eurocodes Standards Consultative Committee

Officer Ken Murphy Project Status Not Published

Scope Amendment to NA to I.S. EN 1991-1-3

Project reference NA:201x to I.S. prEN 1992-4 NA to I.S. EN 1992-4 Eurocode 2: Design of concrete structures-Part 4: Project title Design of fastenings for use in concrete Current_Phase **Project Proposed** International Project Ref. prEN 1992-4 TC 015 Eurocodes Standards Consultative Committee Committee Ken Murphy Project Status Hold Officer NA to I.S. EN 1992-4 Scope NA+A1:201x to I.S. EN 1994-1 Project reference Project title National Annex to I.S. EN 1994-1-2: Eurocode 4- Design of composite structures - Part 1-2 - General rules - Structural fire design International Project Ref. EN 1994-1-2:2005 Current_Phase Project Proposed TC 015 Eurocodes Standards Consultative Committee Committee Ken Murphy **Project Status** Proposed Officer Amendment to NA to I.S. EN 1994-1-2 Scope Project reference NA+A1 to I.S. EN 1993-1-4:2006 Amendment to NA to I.S. EN 1993-1-4: Eurocode 3: Design of steel Project title structures - Part 1-4 - General rules- Supplementary rules for stainless steel At Public Enquiry **Current Phase** International Project Ref. EN 1993-1-4:2006 TC 015 Eurocodes Standards Consultative Committee Committee Ken Murphy Project Status Not Published Officer

Amendment to NA to I.S. EN 1993-1-4

Scope

Drainat reference	NA 204 / to LC EN 4002 4 4 2007		
Project reference	NA:201x to I.S. EN 1993-4-1:2007		
Project title	Amendment to NA to I.S. EN 1993-4-1: Eurocode 3: Design of steel structures - Part 4-1: Silos		
Current_Phase	Project Proposed	nternational Project R	ef. EN 1993-4-1:2007
Committee	TC 015 Eurocodes Standards Consultative Committee		
Officer	Ken Murphy	Project Status Ho	old
Scope	Amendment to NA to I.S. EN 1993-4-1		
Duningt reference	NA:201x to I.S. EN 1993-4-2:2007		
Project reference			
Project title	Eurocode 3 - Design of steel structures - Part 4-2: Tanks		
Current_Phase	Project Proposed	nternational Project R	ef. EN 1993-4-2:2007
Committee	TC 015 Eurocodes Standards Consultative Committee		
Officer	Ken Murphy	Project Status Pr	roposed
Scope	NDPs		
Dun't at a	NIA-0040 - A4-004 - 4-1-0	EN 4000 4 0 0007	
Project reference	NA:2010+A1:201x to I.S.		
Project title	National Annex to I.S. EN 1993-1-6 Eurocode 3 - Design of Steel Structures - Part 1-6: Strength and Stability of Shell Structures		
Current_Phase	At Public Enquiry	nternational Project R	ef. EN 1993-1-6:2007
Committee	TC 015 Eurocodes Standards Consultative Committee		
Officer	Ken Murphy	Project Status No	ot Published
Scope	Amendment to EN 1993-1-6 (Ain NA	A1:2017) includes 2 new NDF	es which need to be included

Project reference | 1.3

I.S. 391:201x

Project title

Fire mains for buildings - Installation, commissioning, maintenance and

esting

Current Phase

Project Approved International Project Ref.

Committee

TC 016 Fire Safety Standards Committee

Officer

Fran Mackey

Project Status Not Published

Scope

Commissioning, Inspection and Maintenance of Dry/Wet Riser Installations in Buildings

Project reference

I.S. 3218:2013+A1:201x

Project title

Fire detection and alarm systems for buildings - System design,

installation, servicing and maintenance

Current_Phase

Project Proposed

International Project Ref.

Committee

TC 016 Fire Safety Standards Committee

Officer

Fran Mackey

Project Status Proposed

Scope

This Standard provides requirements and recommendations for the planning, design, installation, commissioning, servicing and maintenance of fire detection and alarm systems in premises including those used for residential/domestic purposes. The Standard does not recommend whether or not a fire alarm system should be installed in any given building (see Building Regulations, Technical Guidance Document B). When it has been determined that a Fire Detection and Alarm System (FDAS) is required, this standard is suitable.

The systems covered in this Standard are referred to as Fire Detection and Alarm Systems (FDAS). The Standard covers systems ranging from simple installations with one or two manual call points, up to complex installations with automatic detectors, manual call points, control and indicating equipment, communication with the public fire service, etc. It also covers the provision of signals to initiate, in the event of a fire, the operation of ancillary services (see 6.16) and other precautions and actions, but it does not cover the ancillary services themselves.

Consultation with the appropriate Fire Authority is advised before undertaking the design

Project reference S.R. 60:201x

> Guidance on the use of I.S. EN 13043, I.S. EN 12620 and I.S. EN 13139 Project title

Current Phase Project Proposed International Project Ref. EN 13043, EN

TC 017 Roads Standards Committee Committee

Project Status Hold Therese Clarke Officer

Guidance on the use of the three aggregates standards which are in existence and need Scope to be updated based on the revised EN's published in 2013. The existing SR's 16/17 and

18 to be amalgamated into one SR 60.

S.R. 18:201x - Revision Project reference

> Project title Guidance on the use of I.S. EN 13139:2002- Aggregates for mortar

International Project Ref. EN 13139:2002 **Project Proposed Current Phase**

TC 017 Roads Standards Committee Committee

Project Status Not Published Therese Clarke Officer

Guidance guidance on the use of I.S. EN 13139 which specifies the properties of Scope aggregates and filler aggregates obtained by processing natural, manufactured or recycled materials and mixtures of these aggregates for use in mortar. This includes masonry mortar, floor/screed mortar, plastering mortar, rendering mortar, special bedding

materials, repair mortar and grouts.

Project reference I.S. 844:201x

Transportation and installation of bituminous materials for roads and other **Project title**

paved areas

Project Approved International Project Ref. EN 13108 **Current Phase**

TC 017 Roads Standards Committee Committee

Therese Clarke Project Status Not Published Officer

Scope 13108 and SR 28 from the time that they leave the mixing plant until they are placed on the road and ready to receive a superimposed layer or traffic. It also includes requirements for preliminary work at the laying site needed to ensure that the substrate is

fit to receive the asphalt and for the application of bond coats.

Requirements for transport and installation of asphalt mixtures conforming to I.S. EN

See scope of BS - except include parts of EN 13108 in scope of SR 28....

Project reference | 1.3

I.S. 374:201x

Project title

Universal Design for customer communication for Utility services

Current_Phase

Project Approved International Project Ref.

Committee

TC 023 Universal Design Standards Consultative Committee

Officer

Elizabeth O'Ferrall

Project Status Not Published

Scope

gives requirements and guidance on Universal Design for Energy Suppliers to household customers in the provision of energy products, supporting services and associated communications;

is intended to assist suppliers to make products and services accessible and usable by as many people as possible without the need for additional adaptation or specialized design;

does not address the design, or the operation, of any meters, appliances, or pipework to which the energy is connected.

Project reference

I.S. ISO 31000:201X

Project title

Risk management -- Guidelines

Current_Phase

Post Public Enquiry

International Project Ref. ISO 31000:2018

Committee

TC 030 Risk Management Committee

Officer

Fergal Finn

Project Status Proposed

Scope

This document provides adaptable guidelines on managing risk faced by organizations. It can be used by any organization, provides a common approach to managing any type of risk and is not 103 specific to any industry or sector.

This document can be used throughout the life of the organization and applied to any activity, including decision making at all levels.

Project reference

S.R. 50-1:201x

Project title

Building services - Code of Practice - Part 1: Water based heating

systems in dwellings

Current_Phase

Project Approved International Project Ref.

Committee

TC 031 Building Services Standards Committee

Officer

Fergal Finn

Project Status Not Published

Scope

This Standard Recommendation (S.R.) provides practical information and guidance on the design, installation and optimisation of traditional wet central heating systems in permanent domestic dwellings. For further details refer to I.S. EN 12828.

This document specifies the requirements for the design, installation, commissioning and maintenance of space and hot water heating distribution systems.

Domestic gas installations are covered in I.S. 813 and are not included in this SR.

Hot and cold water supply systems are covered in S.R. 50-3.

This SR applies to new and existing dwellings for rated input up to 70 kW heat load not including domestic HW.

This SR does not cover district heating systems.

Project reference

I.S. 360:201x - Revision

Project title

Revision of I.S. 360- Code of Practice: Safe use of cranes in the

construction industry - Part 1: General

Current_Phase

Pre Public Enquiry International Project Ref.

Committee

TC 033 Cranes

Officer

Ken Murphy

Project Status Not Published

Scope

The Code of Practice sets out recommended practices for the safe use of cranes involved in

construction work. Its provisions include safe systems of work, management, planning, selection, erection and dismantling, operation and maintenance of cranes and the selection of drivers, slinger/ signallers. The Code does not cover manually operated (non-powered) cranes, cranes in which at least one of the motions is manually operated on cranes mounted on water-borne vessels, except in those circumstances where a land based crane is temporarily affixed to a vessel.

Project reference S.R. 54:2014+prA1:201X

Project title Code of practice for the energy efficient retrofit of dwellings to include

ventilation in attics

Current_Phase At Public Enquiry International Project Ref.

Committee TC 040 Retrofit of existing dwellings Standards Committee

Officer Therese Clarke Project Status Not Published

1. A new paragraph "6.3.2.3.2.3 Attic ventilation assessment" is being introduced into SR 54 to provide the approach to ventilation in attics based on an assessment of the existing condition of the attic.

2. A new Annex I provides a method for surveying attics to assess if there is a condensation risk and whether existing ventilation is adequate.

Project reference I.S. 465:201x

Project title Assessment, testing and categorization of damaged buildings

incorporating concrete blocks containing certain deleterious materials

Committee TC 063 Concrete Blocks Committee

Officer Ken Murphy Project Status Not Published

a) establishes a comprehensive structured protocol for assessing and determining whether or not a building has been damaged by mica, reactive pyrite or is likely to be in the future, and

b) categorize buildings, in accordance with this standard.

Project reference NA;201x to I.S. EN 14214:2012+A1:2014

Project title National Annex to Liquid petroleum products - Fatty acid methyl esters

(FAME) for use in diesel engines and heating applications - Requirements

and test methods

Committee TC 065 Liquid fuels of petroleum, synthetic and biological origin

Officer Patrick Hayes Project Status Proposed

Scope
Describes requirements and test methods for marketed and delivered fatty acid methyl esters (hereafter known as FAME) to be used either as fuel for diesel engines and for heating applications at 100% concentration, or as an extender for distillate fuel for diesel

engines in accordance with the requirements of EN 590 and for heating fuel

Project reference NA;201x to I.S. EN 590:2013+A1:2017 National Annex to Automotive fuels - Diesel - Requirements and test **Project title** methods **Project Proposed** Current_Phase International Project Ref. EN 590:2013 TC 065 Liquid fuels of petroleum, synthetic and biological origin Committee **Project Status** Proposed Patrick Hayes Officer Defines requirements and test methods for marketed and delivered automotive diesel Scope fuel. **Project reference** NA;201x to I.S. EN 228:2012+A1:2017 **Project title** National Annex to Automotive fuels - Unleaded petrol - Requirements and test methods Current_Phase **Project Proposed** International Project Ref. EN 228:2012 TC 065 Liquid fuels of petroleum, synthetic and biological origin Committee Patrick Hayes **Project Status** Proposed Officer Scope Defines requirements and test methods for marketed and delivered unleaded petrol.